## **EAST Search History**

## **EAST Search History (Prior Art)**

| Ref #      | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|------------|------|---|---|---------------------|---------|---------------------|
| L1         | 2    | ("6584499").PN.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2011/03/06<br>13:19 |
| S1         | 5    | "20020083431"<br>"20080019499"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/02<br>08:40 |
| S2         | 1021 | 709/244   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/02<br>09:11 |
| S3         | 5360 | (switch SAME connection<br>SAME network SAME<br>(config\$7 reconfig\$7))<br>AND @ad<"20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/10/06<br>14:04 |
| S4         | 565  | ((network NEAR5 switch)<br>SAME (connection NEAR5<br>(config\$7 reconfig\$7)))<br>AND @ad<"20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/10/06<br>14:06 |
| <b>S</b> 5 | 308  | ((network NEAR5 switch) SAME (connection NEAR5 (config\$7 reconfig\$7))) AND (switch NEAR5 (multipl\$7 plurality)) AND @ad<"20030805"                 | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/10/06<br>14:14 |
| <b>S</b> 6 | 0    | ((network NEAR5 switch)<br>SAME (connection NEAR5<br>(config\$7 reconfig\$7)))<br>AND (netwrok NEAR5<br>(multipl\$7 plurality)) AND<br>@ad<"20030805" | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/10/06<br>14:15 |
| S7         | 437  | ((network NEAR5 switch)<br>SAME (connection NEAR5<br>(config\$7 reconfig\$7)))<br>AND (network NEAR5<br>(multipl\$7 plurality)) AND<br>@ad<"20030805" | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/10/06<br>14:15 |

| S8  | 365  | ((network NEAR5 switch)<br>SAME (connection NEAR5<br>(config\$7 reconfig\$7)))<br>AND (network NEAR2<br>(multipl\$7 plurality)) AND<br>@ad<"20030805" | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/06<br>14:16 |
|-----|------|---|---|----|----|---------------------|
| S9  | 13   | "20020186653"<br>"20010021198"<br>"20030176003"<br>"20040088412"<br>"20020049859"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>10:51 |
| S10 | 13   | "20020186653"<br>"20010021198"<br>"20030176003"<br>"20040068412"<br>"20020049859"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>10:53 |
| S11 | 16   | "20020186653"<br>"20010021198"<br>"20030176003"<br>"20040088412"<br>"20020049859"<br>"20040268112"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>10:53 |
| S12 | 17   | ("6748429", "5751967",<br>"6903755", "6788315",<br>"6636239", "6148410",<br>"7076645").PN.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>10:55 |
| S13 | 867  | (router SAME (updat\$4<br>config\$7) SAME active)<br>AND @ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>11:15 |
| S14 | 578  | (router SAME (updat\$4<br>config\$7) SAME active)<br>AND (network SAME<br>manage\$6) AND<br>@ad<"20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>11:22 |
| S15 | 6    | ((cluster NEAR5 router)<br>SAME (updat\$4 config\$7)<br>SAME active) AND<br>(network SAME manage<br>\$6) AND<br>@ad<"20030805"                        | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>12:51 |
| S16 | 3280 | ((router) SAME (updat\$4<br>config\$7) SAME (network<br>SAME manage\$6)) AND<br>@ad<"20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>13:56 |

| S17  | 674 | ((router NEAR2 (updat\$4<br>config\$7)) SAME (network<br>SAME manage\$6)) AND<br>@ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>13:57 |
|------|-----|---|---|----|----|---------------------|
| S18  | 125 | ((send\$4 distribut\$6) SAME (router NEAR2 (updat\$4 config\$7)) SAME (network SAME manage \$6)) AND @ad<"20030805"                             | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>13:59 |
| S19  | 6   | ((send\$4 distribut\$6) SAME (cluster NEAR2 (updat\$4 config\$7)) SAME (router SAME network SAME manage\$6)) AND @ad<"20030805"                 | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>14:12 |
| S20  | 4   | ((send\$4 distribut\$6)<br>SAME (cluster NEAR2<br>(updat\$4 config\$7)) SAME<br>(routing NEAR3 table))<br>AND @ad<"20030805"                    | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>14:25 |
| S21  | 673 | ((send\$4 distribut\$6)<br>SAME (cluster NEAR2<br>(updat\$4 config\$7))) AND<br>@ad<"20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>14:46 |
| S22  | 180 | ((send\$4 distribut\$6)<br>NEAR5 (cluster NEAR2<br>(updat\$4 config\$7))) AND<br>@ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>14:47 |
| S23  | 2   | (((send\$4 distribut\$6<br>transmit\$5) NEAR3 (rout<br>\$5 NEAR2 table)) SAME<br>(cluster NEAR2 (updat\$4<br>config\$7))) AND<br>@ad<"20030805" | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>15:57 |
| S24  | 0   | (((send\$4 distribut\$6<br>transmit\$5) NEAR3<br>(failover)) SAME (cluster<br>NEAR2 (updat\$4 config<br>\$7))) AND<br>@ad<"20030805"            | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>16:17 |
| \$25 | 10  | (((send\$4 distribut\$6<br>transmit\$5) NEAR3<br>(failover)) SAME (cluster))<br>AND @ad<"20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>16:18 |

| S26         | 35   | (((send\$4 distribut\$6<br>transmit\$5) NEAR3<br>(failover)) AND (cluster<br>SAME failover)) AND<br>@ad<"20030805"           | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>16:30 |
|-------------|------|--|---|----|----|---------------------|
| <b>S</b> 27 | 4    | ("4720782", "6725264").<br>PN.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>18:06 |
| S28         | 1646 | (cluster NEAR2 manag\$7)<br>AND @ad< "20030805"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>18:30 |
| <b>S</b> 29 | 103  | ((cluster NEAR2 manag<br>\$7) SAME (router switch))<br>AND @ad< "20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>18:30 |
| S30         | 864  | ((cluster NEAR2 manag<br>\$7) AND (config\$7 SAME<br>(node router switch<br>server))) AND<br>@ad<"20030805"                  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>18:34 |
| S31         | 313  | (((cluster NEAR2 manag<br>\$7) SAME config\$7) AND<br>(config\$7 SAME (node<br>router switch server)))<br>AND @ad<"20030805" | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/07<br>18:35 |
| S32         | 273  | (router SAME switch<br>SAME cluster) AND<br>@ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/08<br>15:13 |
| S33         | 5    | (router SAME switch SAME cluster SAME (standby stand-by secondary backup backup) SAME (active primary)) AND @ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/08<br>15:22 |
| S34         | 477  | (cluster SAME failover)<br>AND @ad< "20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/08<br>16:14 |

| S35         | 24 | (cluster SAME failover<br>SAME switch) AND<br>@ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/08<br>16:14 |
|-------------|----|--|---|----|----|---------------------|
| S36         | 86 | (failover SAME (switch<br>NEAR2 (failed fail<br>failure))) AND<br>@ad<"20030805"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/08<br>16:29 |
| <b>S</b> 37 | 35 | (failover SAME ((node<br>switch router server)<br>NEAR2 (failed fail failure))<br>SAME (update reconfig<br>\$6)) AND<br>@ad<"20030805" | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/10/08<br>16:48 |

## **EAST Search History (Interference)**

<This search history is empty>

3/6/2011 4:14:47 PM

H:\ EASTWorkspaces\ 10663161.wsp